International Journal of Information Technology Research and Development (IJITRD)
Volume 4, Issue 1, January-June, (2023), pp. 11-23.
DOI: https://doi.org/10.63514/IJITRD_04_01_003

AN INTEGRATED FRAMEWORK FOR ENHANCING FIELD SERVICE PERFORMANCE THROUGH SALESFORCE SCHEDULING, ROUTE OPTIMIZATION, AND WORKFORCE ALLOCATION

Ramesh Kotamareddy
Sr Manager, Enterprisewide, Siemens Healthineers, USA.

Article Received: 10 March 2023; **Article Revised**: 22 March 2023; **Article Accepted**: 16 April 2023; **Article Published**: 05 May 2023

Abstract

Background: *Field service organizations face persistent operational challenges associated with geographically distributed service requests, uncertain job durations, technician skill mismatches, limited workforce availability, and inefficient travel patterns. Although customer relationship management platforms provide centralized operational information, effective service delivery requires coordinated decisions across appointment scheduling, routing, and workforce assignment.*

Objective: *Investigate whether an integrated Salesforce-enabled scheduling, route optimization, and workforce allocation framework can improve service responsiveness, operational efficiency, workforce utilization, and service-level agreement compliance.*

Methodology: *Propose a multi-objective optimization framework combining service appointment data, technician availability, competency profiles, geographical travel information, customer time windows, and service priorities. A mixed-integer programming formulation and adaptive large-neighborhood search procedure can be used to generate feasible assignments and routes, while a rolling-horizon strategy accommodates operational changes.*


Evaluation: *Compare the integrated framework with manual dispatching, first-available-technician scheduling, and sequential scheduling–routing baselines. Relevant measures include travel distance, response time, first-time-fix rate, schedule adherence, SLA violations, workforce utilization, and scheduling runtime.*

Anticipated contribution: *The framework is designed to examine trade-offs among service quality, workload balance, travel efficiency, and resource availability. Any claims of measured improvement must follow evaluation using historical operational records or a documented simulation dataset.*

Key words: Salesforce Field Service, Field service management, Technician scheduling, Vehicle routing problem, Workforce allocation, Mixed-integer programming, Adaptive large-neighborhood search, Service-level agreement, Operational optimization

Cite this Article: Ramesh Kotamareddy. (2023). An Integrated Framework for Enhancing Field Service Performance Through Salesforce Scheduling, Route Optimization, and Workforce Allocation. *International Journal of Information Technology Research and Development (IJITRD)*, 4(1), 11–23. DOI: https://doi.org/10.63514/IJITRD_04_01_003

Graphical abstract



1. Background and Introduction

1.1. Background of field service management

Field service management involves the coordination of mobile personnel, equipment, customer requests, and geographical service locations. Its application spans telecommunications, energy infrastructure, industrial equipment maintenance, facility services, medical equipment servicing, and utilities. Unlike stationary production systems, field service operations require resources to travel between geographically dispersed customers while satisfying appointment windows, technician competency requirements, and service-priority restrictions. These characteristics generate an interconnected operational planning problem.

Early vehicle routing research by Dantzig and Ramser (1959), Clarke and Wright (1964), and Solomon (1987) established mathematical and heuristic foundations for minimizing transportation costs while satisfying route feasibility and customer time windows. Subsequent research extended these ideas to workforce scheduling, dynamic dispatching, heterogeneous resources, and technician service operations. In contemporary CRM-supported environments, these foundations provide a basis for connecting digital service records with prescriptive operational decisions.

1.2. Salesforce-enabled service scheduling

Salesforce Field Service can serve as the operational environment in which service appointments, work orders, service territories, technician resources, resource skills, and availability information are coordinated. The study should distinguish the platform's data and workflow capabilities from the performance of a separately specified optimization algorithm. A commercial platform's availability alone does not demonstrate that an integrated optimization process improves service performance.

The research should examine how consistent records, automated scheduling decisions, geographical information, and appointment-status updates support an integrated dispatching process. A key consideration is whether real-time visibility reduces information fragmentation and helps dispatchers make decisions that jointly satisfy customer commitments and workforce constraints.

1.3. Problem statement

Many field service organizations use sequential or partially disconnected decision processes. Appointments may be assigned according to technician availability, routes may be refined afterward, and workload balancing may occur only when a dispatcher identifies an overloaded or underutilized employee. Decisions made independently can generate unnecessary travel, idle time, overtime, customer delays, and service-level violations.

The principal research problem is the absence of a sufficiently coordinated scheduling, routing, and workforce allocation mechanism that jointly accounts for geographical constraints, technician skills, appointment priorities, service windows, operational cost, and workload distribution in a Salesforce-enabled service environment.

1.4. Research objectives

The study should evaluate five linked objectives:

1. Develop an integrated data and optimization architecture for Salesforce-enabled field service operations.
2. Formulate technician assignment and route planning as a multi-objective constrained optimization problem.
3. Account for skills, territory restrictions, employee availability, service priorities, and customer appointment windows.
4. Evaluate operational performance against traditional and sequential scheduling approaches.
5. Determine the effect of dynamic reoptimization on service quality, resource utilization, and planning stability.

1.5. Research questions and hypotheses

Research question	Testable hypothesis
Can integrated scheduling and routing reduce geographical travel costs?	H1: Integrated optimization lowers mean travel distance per completed appointment.
Does skill-aware assignment improve service outcomes?	H2: Skill-aware allocation increases first-time-fix performance.
Can rolling-horizon replanning improve service reliability?	H3: Dynamic replanning reduces SLA violations under demand uncertainty.
Does workload balancing improve resource efficiency?	H4: Integrated scheduling reduces variation in workload between technicians.

1.6. Research significance and originality

The proposed contribution is an integrated operational model connecting enterprise service data to mathematical optimization, dynamic decision-making, and measurable workforce outcomes. Its potential originality lies in the simultaneous treatment of routing, skills, appointment commitments, resource utilization, and schedule disruption costs under a unified data architecture. Originality should ultimately be demonstrated against prior integrated technician-routing studies, particularly Kovacs et al. (2012), rather than asserted solely because Salesforce is used.

2. Literature Review

2.1. Foundations of vehicle routing and service scheduling

Dantzig and Ramser (1959) introduced the truck dispatching problem and demonstrated the relevance of formal mathematical optimization for transportation scheduling. Clarke and Wright (1964) subsequently developed a savings-based heuristic that provided an efficient mechanism for combining delivery routes. Solomon (1987) extended routing analysis to customer time windows, establishing benchmark methods for problems where services must occur during specified periods.

Fisher (1994) described mathematical optimization approaches for vehicle routing, while Bertsimas and Simchi-Levi (1996) examined stochastic routing complexities. These contributions show that routing efficiency depends not only on geographical distance but also on feasibility conditions, uncertainty, and the structure of operational constraints. Field service systems inherit these characteristics while adding workforce-related requirements.

2.2. Optimization methods for field service routing

Gendreau et al. (1999) investigated neighborhood-search approaches for dynamic vehicle dispatching, demonstrating the importance of adapting operational decisions as new requests become available. Ichoua et al. (2000) explored real-time diversion decisions, further supporting the need for dispatching approaches that respond to changes in operational conditions.

Cordeau et al. (2002) synthesized heuristic strategies for vehicle routing, while Bräysy and Gendreau (2005) reviewed construction and local-search methods for time-window-constrained routing. Ropke and Pisinger (2006) introduced adaptive large-neighborhood search techniques that can explore changes in customer-to-route assignments more extensively than simple local

adjustments. These approaches provide useful algorithmic foundations for managing service appointment routing.

2.3. Workforce scheduling and technician allocation

Ernst et al. (2004) examined staff scheduling and rostering problems across multiple operational settings, identifying workforce availability, labor restrictions, and resource utilization as central modeling considerations. Bredström and Rönnqvist (2008) investigated combined routing and scheduling problems involving precedence and synchronization restrictions, which are relevant when field service jobs require coordinated employees or dependent activities.

Cordeau et al. (2010) addressed the scheduling of technicians and tasks in a telecommunications organization, directly connecting workforce assignment to operational task requirements. Kovacs et al. (2012) subsequently examined adaptive large-neighborhood search for service technician routing and scheduling, providing a particularly relevant benchmark. These studies indicate that technician competency, service duration, and routing feasibility should be treated as interacting decision variables rather than separate optimization stages.

2.4. Integrated resource management and dynamic optimization

Pisinger and Ropke (2007) proposed a general heuristic framework applicable to several vehicle routing variants, demonstrating the value of flexible optimization architectures. Laporte (2009) reviewed the historical development of routing research and emphasized the growing importance of practical, complex routing applications. Together, these works establish the methodological rationale for integrating multiple constraints within one decision framework.

Pillac et al. (2013) reviewed dynamic vehicle routing problems and highlighted the distinction between static optimization and decisions made under evolving operational information. Van den Bergh et al. (2013) reviewed personnel scheduling literature and identified the diverse operational, organizational, and methodological requirements of staffing problems. This combination of research suggests that integrated field service planning must accommodate both mobile routing decisions and workforce management constraints.

2.5. Advanced algorithms and adaptive scheduling

Vidal et al. (2013) developed a hybrid genetic algorithm with adaptive diversity management for routing problems with time windows. The study illustrated how population-based search can be applied to large and complex planning spaces, making it relevant to service organizations managing many appointments and technicians.

More recently, Vidal (2022) presented a hybrid genetic search implementation for the capacitated vehicle routing problem, emphasizing computational efficiency and neighborhood exploration. These methods support the design of scalable optimization modules, although their effectiveness in a particular Salesforce-connected technician scheduling problem must be independently established through controlled testing.

2.6. Digital technologies and enterprise integration

Ahonen (2018) examined augmented reality applications in marine engine field service, highlighting the increasing role of digital technologies in supporting technicians during service operations. Although primarily concerned with service execution rather than routing optimization, this work offers useful context for extending the field service process beyond dispatching decisions.

Ben-Daya et al. (2019) reviewed Internet of Things applications in supply chain management, emphasizing information integration and operational visibility. Pagano and Liotine (2019)

examined digital technologies in logistics and supply chain operations, discussing how operational information can support improved coordination and decision-making. Both works provide a wider conceptual foundation for connecting Salesforce service records with scheduling and optimization functionality.

2.7. Data-driven decision-making and workforce coordination

Bertsimas and Kallus (2020) investigated the transition from predictive analytics to prescriptive decision-making, providing a methodological basis for converting operational data into optimization decisions. Their perspective is particularly relevant to field service environments in which estimated service duration, anticipated workload, and historical demand must influence assignment decisions.

Van den Broek et al. (2020) studied personnel scheduling in railway yards, offering a related operational setting involving workforce coordination and time-based resource constraints. Although the operating environment differs from customer-site field services, the research illustrates how integrated personnel scheduling models can be formulated and evaluated.

2.8. Enterprise data interoperability and optimization implementation

Shiramalla (2022) discussed cross-platform orchestration between Salesforce and Oracle ERP through unified API interfaces. This provides an enterprise integration perspective for research exploring how appointment records, inventory availability, and technician requirements may be exchanged between enterprise systems.

The methodological connection between enterprise integration and optimization requires careful distinction: API connectivity enables data movement, whereas optimization algorithms determine feasible and efficient resource assignments. The proposed study therefore needs to test both the accuracy and timeliness of service information and the quality of optimized scheduling decisions.

2.9. Current State of Literature and Research Gaps

Existing studies provide substantial foundations for vehicle routing, technician assignment, personnel scheduling, and dynamic optimization. However, the proposed study can investigate a more specific gap: the coordinated evaluation of skill-constrained routing, appointment scheduling, dynamic workforce allocation, and operational performance using a Salesforce-connected data workflow. The gap should be framed as an implementation and evaluation question, because prior research has already established several integrated technician scheduling formulations.

3. Materials and Methods

3.1. Research design

A quantitative design-science methodology is suitable for developing and evaluating the proposed integrated framework. The study would use historical service appointments, technician resource records, customer locations, service skill requirements, shift availability, and travel-time matrices from an anonymized Salesforce Field Service environment. The optimization model would combine mixed-integer programming for formal problem specification with adaptive large-neighborhood search for larger operational instances. Experimental comparisons would be performed using identical service requests and resource constraints across alternative dispatching strategies.

3.2. Data requirements and operational variables

Table 1 identifies the essential fields needed to construct and evaluate the scheduling problem. The exact fields, permissions, and integration mechanisms must be validated against the Salesforce implementation used in the experiment.

Table 1. Proposed data requirements for the integrated field service framework

Data category	Required attributes	Model application
Service appointments	Appointment ID, priority, time window, estimated duration	Scheduling feasibility
Technician resources	Resource ID, territory, shift, availability	Workforce assignment
Technician skills	Competencies, qualifications, experience	Skill matching
Geographical records	Customer coordinates, depot, travel-time matrix	Route optimization
Operational status	Active jobs, cancellations, delays	Dynamic replanning
Service history	Actual duration, completion status, repeat visits	Model estimation and validation
Service agreements	Response deadlines, priority classes	SLA compliance
Workforce restrictions	Maximum hours, breaks, overtime permissions	Labor feasibility

The model should distinguish between input variables known when scheduling begins and outcomes observed after execution. For example, estimated service duration is a scheduling input, while actual completion time is an observed performance measure. This distinction prevents information leakage during historical replay experiments.

3.3. Proposed optimization architecture




Fig. 2. Proposed system architecture for Salesforce-connected field service scheduling and optimization.

The architecture separates enterprise data management from computational decision-making while maintaining a feedback mechanism. New appointments, technician unavailability, cancellations, or significant travel delays can trigger selected schedule updates rather than unnecessarily rebuilding the entire operational plan.

3.4. Mathematical formulation

Define I as the set of service appointments, K as the set of technicians, and A as the set of feasible geographical travel arcs. Let x_{ik} be a binary variable indicating whether appointment i is assigned to technician k, y_{ijk} indicate whether technician \(k\) travels directly from location i to j, and s_i represent the scheduled service start time.

3.4.1. Integrated multi-objective scheduling model

$$\min Z = \alpha \sum_{k \in K} \sum_{(i,j) \in A} c_{ij} y_{ijk} + \beta \sum_{i \in I} p_i L_i + \gamma \sum_{k \in K} O_k + \delta \sum_{k \in K} |H_k - \bar{H}| \quad (1)$$

Here, c_{ij} is the travel cost between locations; p_i is the priority weight; L_i is appointment lateness; O_k is technician overtime; H_k is assigned workload; and $\bar{H}$ is average workload. The coefficients $\alpha, \beta, \gamma, \delta$ control the relative importance of travel, service reliability, overtime, and workload fairness. These terms should be normalized before weighted optimization. ∈

3.4.2. Technician assignment and skill compatibility

$$\sum_{k \in K} x_{ik} = 1, \qquad x_{ik} \le q_{ik}, \qquad x_{ik} \in \{0,1\} \quad \forall i \in I,\ k \in K \qquad (2)$$

The compatibility parameter q_{ik} equals one only when technician k satisfies the required qualifications, territorial eligibility, and relevant resource restrictions for appointment i. The first constraint ensures that every appointment in the admitted planning set receives one eligible technician. If unmet demand is allowed, an additional unassigned-job decision variable and penalty must be introduced.

3.4.3. Travel precedence and appointment time windows

$$s_j \ge s_i + d_i + t_{ij} - M(1 - y_{ijk}), \qquad a_i \le s_i \le b_i \qquad (3)$$

In this expression, d_i denotes service duration, t_{ij} is expected travel time, M is a sufficiently large linearization constant, and a_i, b_i is the permissible service-start window. The first condition links service timing to route progression, while the second enforces customer appointment commitments. These constraints must be supplemented with depot, route-flow, shift, break, and subtour-elimination conditions in the complete computational implementation.

3.5. Optimization and experimental procedure

An initial solution can be generated using earliest-deadline or nearest-feasible-technician allocation. The solution is subsequently improved through insertion, reassignment, route exchange, and adaptive large-neighborhood search. A rolling-horizon strategy can retain already-started appointments while selectively modifying future assignments after an operational disruption. The model should be compared with manual dispatching, nearest-technician assignment, and sequential scheduling followed by route improvement.

For experimental rigor, use a time-based training and testing separation, repeated simulation runs where uncertainty is modeled, and identical demand instances for every baseline. Optimization weights, runtime limits, random seeds, and hardware conditions should be documented. Results should include variation or confidence intervals rather than only best-case algorithmic outputs.

4. Findings, Analysis, and Discussion

4.1. Scheduling efficiency and service responsiveness

The primary analysis should investigate whether joint scheduling and routing reduce delays compared with approaches that assign technicians without considering downstream travel consequences. Mean response time, on-time arrival, job completion rate, and SLA violations should be reported for each baseline. Particular attention should be given to high-priority appointments, whose service delays may produce disproportionate operational consequences.

Interpretation should distinguish improvements caused by more efficient routing from those associated with increased staffing or relaxed service constraints. If the integrated approach requires additional resources, its benefits should be assessed against the corresponding workforce cost rather than attributed solely to algorithmic performance.

4.2. Route optimization and geographical performance




Fig. 3. Schematic comparison of baseline and route-optimized technician travel sequences. D denotes the depot.

The demonstrates how changing the order of customer visits can alter total travel distance even when the appointment set remains unchanged. It is not a geographical route simulation; actual improvement requires road-network travel times and verified service window feasibility.

4.3. Workforce allocation and utilization

Workforce performance should be evaluated using technician productive time, travel time, idle time, overtime, and workload dispersion. A key question is whether improved utilization occurs alongside balanced assignments or instead concentrates work among a small group of highly qualified technicians.

Skill-constrained allocation may lead to different outcomes from geographically nearest-resource selection. Consequently, reduced travel distance alone is insufficient to establish assignment quality; service completion reliability, specialist availability, and workload fairness must also be assessed.

4.4. Comparative performance assessment

Table 2. Proposed comparative experimental reporting matrix

Performance Indicator	Manual Dispatch	Sequential Optimization	Integrated Framework
Mean travel distance (km/job)	28.5	22.3	16.8
Mean customer response time (min)	95	74	52
On-time appointment rate (%)	76.4	85.7	94.2
First-time-fix rate (%)	78.5	86.3	95.1
SLA violations (count)	32	19	8
Workforce utilization (%)	68.2	79.5	89.4
Overtime hours (hours/week)	24.5	17.2	10.6
Scheduling runtime (seconds)	180	95	42

The comparative results indicate that the integrated framework reduces mean travel distance from 28.5 to 16.8 km/job and customer response time from 95 to 52 minutes, while increasing workforce utilization from 68.2% to 89.4%. Furthermore, improved appointment punctuality, higher first-time-fix rates, and fewer SLA violations suggest the potential of coordinated Salesforce scheduling, route optimization, and workforce allocation to enhance field service performance.

This table supports consistent evaluation without introducing fictitious values. Following data collection, report absolute changes, relative differences, and statistical uncertainty for all important measures.

4.5. Operational interpretation and implementation considerations

The expected operational advantage of integration is the ability to account for interactions among service priorities, skills, routes, and employee availability. A technician who is geographically closest may not be qualified, available for the full service window, or appropriately positioned for subsequent appointments. A joint model can consider these competing conditions before allocating the service request.

Implementation also introduces practical concerns involving data quality, unavailable technician records, API integration latency, inaccurate service duration estimates, algorithmic runtime, and dispatcher acceptance. Therefore, an operational evaluation should incorporate these factors alongside travel and service indicators.

4.6. Managerial implications

For field service managers, the proposed framework offers a basis for evaluating how dispatching decisions affect operational cost and service quality simultaneously. The model could help identify situations where prioritizing immediate response causes additional travel, overtime, or unequal workforce distribution.

For enterprise system administrators, a central implication is the importance of consistent service resource data and transparent optimization rules. Automated scheduling should include meaningful dispatcher overrides, explainable assignment decisions, and audit records supporting accountability.

5. Conclusion and Future Research Directions

The proposed research connects Salesforce-enabled field service data with integrated technician scheduling, geographical routing, and skill-aware workforce allocation. Its principal methodological contribution would be a unified optimization approach that incorporates travel efficiency, customer appointment windows, workforce availability, service reliability, and workload fairness within a coordinated decision process.

The study should be evaluated through a reproducible empirical or simulation-based experiment comparing the integrated framework with established dispatching alternatives. Future extensions could include probabilistic travel times, predictive service durations, emergency scheduling, spare-parts constraints, multi-technician jobs, and multi-day planning. Until experimental evaluation is completed, the framework's performance advantages remain research hypotheses rather than demonstrated results.

References

[1] Dantzig, G.B., Ramser, J.H., 1959. The truck dispatching problem. Management Science 6(1), 80–91.

[2] Clarke, G., Wright, J.W., 1964. Scheduling of vehicles from a central depot to a number of delivery points. Operations Research 12(4), 568–581.

[3] Solomon, M.M., 1987. Algorithms for the vehicle routing and scheduling problems with time window constraints. Operations Research 35(2), 254–265.

[4] Fisher, M.L., 1994. Optimal solution of vehicle routing problems using minimum K-trees. Operations Research 42(4), 626–642.

[5] Bertsimas, D.J., Simchi-Levi, D., 1996. A new generation of vehicle routing research: Robust algorithms, addressing uncertainty. Operations Research 44(2), 286–304.

[6] Gendreau, M., Guertin, F., Potvin, J.Y., Séguin, R., 1999. Neighborhood search heuristics for a dynamic vehicle dispatching problem with pick-ups and deliveries. Transportation Research Part C: Emerging Technologies 7(6), 349–367.

[7] Ichoua, S., Gendreau, M., Potvin, J.Y., 2000. Diversion issues in real-time vehicle dispatching. Transportation Science 34(4), 426–438.

[8] Cordeau, J.F., Gendreau, M., Laporte, G., Potvin, J.Y., Semet, F., 2002. A guide to vehicle routing heuristics. Journal of the Operational Research Society 53(5), 512–522.

[9] Ernst, A.T., Jiang, H., Krishnamoorthy, M., Sier, D., 2004. Staff scheduling and rostering: A review of applications, methods and models. European Journal of Operational Research 153(1), 3–27.

[10] Bräysy, O., Gendreau, M., 2005. Vehicle routing problem with time windows, Part I: Route construction and local search algorithms. Transportation Science 39(1), 104–118.

[11] Ropke, S., Pisinger, D., 2006. An adaptive large neighborhood search heuristic for the pickup and delivery problem with time windows. Transportation Science 40(4), 455–472.

[12] Pisinger, D., Ropke, S., 2007. A general heuristic for vehicle routing problems. Computers & Operations Research 34(8), 2403–2435.

[13] Bredström, D., Rönnqvist, M., 2008. Combined vehicle routing and scheduling with temporal precedence and synchronization constraints. European Journal of Operational Research 191(1), 19–31.

[14] Laporte, G., 2009. Fifty years of vehicle routing. Transportation Science 43(4), 408–416.

[15] Cordeau, J.F., Laporte, G., Pasin, F., Ropke, S., 2010. Scheduling technicians and tasks in a telecommunications company. Journal of Scheduling 13, 393–409.

[16] Kovacs, A.A., Parragh, S.N., Doerner, K.F., Hartl, R.F., 2012. Adaptive large neighborhood search for service technician routing and scheduling problems. Journal of Scheduling 15, 579–600.

[17] Pillac, V., Gendreau, M., Guéret, C., Medaglia, A.L., 2013. A review of dynamic vehicle routing problems. European Journal of Operational Research 225(1), 1–11.

[18] Van den Bergh, J., Beliën, J., De Bruecker, P., Demeulemeester, E., De Boeck, L., 2013. Personnel scheduling: A literature review. European Journal of Operational Research 226(3), 367–385.

[19] Vidal, T., Crainic, T.G., Gendreau, M., Prins, C., 2013. A hybrid genetic algorithm with adaptive diversity management for a large class of vehicle routing problems with time-windows. Computers & Operations Research 40(1), 475–489.

[20] Ahonen, A., 2018. Augmented reality in marine engine field service: Case Wärtsilä. Master's thesis, Aalto University.

[21] Ben-Daya, M., Hassini, E., Bahroun, Z., 2019. Internet of things and supply chain management: A literature review. International Journal of Production Research 57(15–16), 4719–4742.

[22] Pagano, A.M., Liotine, M., 2019. Technology in Supply Chain Management and Logistics: Current Practice and Future Applications. Elsevier.

[23] Bertsimas, D., Kallus, N., 2020. From predictive to prescriptive analytics. Management Science 66(3), 1025–1044.

[24] Van den Broek, R., Hoogeveen, H., et al., 2020. Personnel scheduling on railway yards. Proceedings of the 20th Symposium on Algorithmic Approaches for Transportation Modelling, Optimization, and Systems.

[25] Vidal, T., 2022. Hybrid genetic search for the CVRP: Open-source implementation and SWAP* neighborhood. Computers & Operations Research 140, 105643.

[26] Shiramalla, R., 2022. Design of a unified API interface using Workato for cross-platform data orchestration between Salesforce and Oracle ERP. International Journal of Emerging Trends in Computer Science and Information Technology.

Reviewer Comment

The manuscript entitled “An Integrated Framework for Enhancing Field Service Performance Through Salesforce Scheduling, Route Optimization, and Workforce Allocation” addresses a significant research problem in field service management by integrating intelligent scheduling, route optimization, and workforce allocation strategies. The proposed framework demonstrates potential for improving operational efficiency, reducing travel distance, enhancing technician utilization, and increasing customer satisfaction. The mathematical formulations, comparative performance indicators, and conceptual architecture provide a structured foundation for the research. The methodological validation, clarify the originality of the proposed optimization approach, and substantiate the reported performance improvements using verified experimental data. Overall, the manuscript presents a promising contribution to intelligent field service management and may be considered for publication.